

--Configuración password de usuario privilegiado
Switch(config)#enable password cisco

--Configuración de contraseña para terminal. Tanto de acceso de root como acceso al switch mediante telnet.

```
Switch>ena
Switch#?
Exec commands:
  clear      Reset functions
  clock      Manage the system clock
  configure  Enter configuration mode
  connect    Open a terminal connection
  copy       Copy from one file to another
  debug      Debugging functions (see also 'undebug')
  delete     Delete a file
  dir        List files on a filesystem
  disable    Turn off privileged commands
  disconnect Disconnect an existing network connection
  enable     Turn on privileged commands
  erase      Erase a filesystem
  exit       Exit from the EXEC
  logout     Exit from the EXEC
  more       Display the contents of a file
  no         Disable debugging informations
  ping       Send echo messages
  reload     Halt and perform a cold restart
  resume     Resume an active network connection
  setup      Run the SETUP command facility
  show       Show running system information
```

```
Switch#configure terminal
Enter configuration commands, one per line.  End with CNTL/Z.
Switch(config)#line vty 0 15
Switch(config-line)#pas
% Incomplete command.
Switch(config-line)#pas cisco
Switch(config-line)#
```

--Configurar el login y passwd de la linea de consola.

```
Switch(config)#line console 0
Switch(config-line)#passw
Switch(config-line)#password cisco
Switch(config-line)#login
Switch(config-line)#
```

--Configurar la encriptación de contraseñas.

```
Switch(config)#service password-encryption
```

